Handheld Standards

Pocket PC Models - USB ONLY (No Serial connection)

Dell Axim X3 or *X3l

| Dell Axim X3 Handheld |
|--|
| Thin & Light |
| TECH SPECS Operating System Microsoft® Pocket PC 2003 Premium |
| Height 4.6 inches |
| Width 3.0 inches |
| Thickness 0.59 inches |
| Weight 4.8 oz |
| Processor Intel [®] X-Scale [™] Processor up to 400MHz |
| RAM Memory Up to 64MB SDRAM |
| ROM Memory Up to 64MB Intel StrataFlash® ROM |
| Slots One Integrated Secure Digital / SDIO Now! / Multi Media Card Slot. |
| Battery Removable / Rechargeable Battery |
| Wireless Optional 802.11b wireless technology. |
| Service 1 Year Advanced Exchange Service ² |
| HIGHLIGHTS: Brilliant 3.5" QVGA TFT color 16-bit, touch sensitive Transflective ■ display Integrated Secure Digital / SDIO Now! / Multi Media Card Slot provides ■ flexible expansion for peripherals or memory. Outstanding performance with powerful Intel® XScale™ processors |
| Up to 64MB SDRAM provides ample room for storing files Removable, rechargeable primary battery |

HP iPAQ H2215 HP iPAQ H5555

| product model | | iPAQ h2215 | | iPAQ h5555 | |
|------------------|--------------------------|---------------|--|---------------|--|
| | | | | | |
| | processor | | 400MHz Intel® XScale™ processor | | 400MHz Intel® XScale™ processor |
| | operating system | | Microsoft® Windows® Mobile 2003 Premium software for Pocket PC | | Microsoft® Windows® Mobile 2003 Premium software for Pocket PC |
| | | | | | |
| | memory | | 64MB SDRAM (56MB user accessible), 32MB Flash ROM | | 128MB SDRAM, 48MB Flash ROM |
| | display | | 3.5" viewable size 240 x 320 16-bit color transflective TFT with backlight | | 3.8" 240 x 320 16-bit color transflective TFT LCD |
| | | | | | |
| | weight | | 5.1 oz. | | 7.29 oz. |
| | battery | | removable, rechargeable Lithium- lon (900 mAh) | | removable, rechargeable Lithium- lon (1250 mAh) |
| | | | | | |
| | expansion | | SD slot - SD, SDIC & MMC support; CF slot - CF I & II | | Secure Digital (SD) card slot, SDIO, MMC, and PC card support, CF and other iPAQ expansion packs |
| | integrated wireless • | | integrated Bluetooth™, wireless ready with the addition of SDIO WLAN 802.11b card | | Bluetooth, WLAN 802.11b |
| | | | | | |
| | security 🗓 | | power-on password | | integrated biometric fingerprint reader |
| | input mechanism 🚺 | | soft keyboard, voice recorder | | soft keyboard, voice recorder |

Palm OS

Tungsten T3 (*Serial cradle required for Windows NT)

SPECIFICATIONS

OPERATING SYSTEM

Palm OS® 5.2.1

PROCESSOR

400MHz Intel XScale™

STRETCH DISPLAY

320x480 color Transflective TFT display with portrait and landscape support.

BUILT-IN BLUETOOTH® TECHNOLOGY

Communicate wirelessly and share files, photos and more with nearby Bluetooth devices via integrated Bluetooth.

BATTERY

Rechargeable 900mAh Lithium Polymer battery.

BUILT-IN MICROPHONE

Record your thoughts with optimized Voice Record button on side of device.

MEMORY

64MB (52MB actual storage capacity)

PALM EXPANSION SLOT

Supports SD, SDIO and MultiMediaCard expansion cards (sold separately) to add memory, content like a travel card, or even an SDIO card like a digital camera.

5-WAY NAVIGATOR BUTTON

Easily access important information with just one hand.

BUILT-IN SPEAKER & STEREO HEADPHONE JACK

Listen to tunes, games, videos or voice recordings with built-in mono speaker or stereo headphones with standard 3.5 mm headphone jack. (Headphones sold separately. MP3s require SD card, sold separately.)

NOTIFICATION

Vibration, Sound and LED Notification.

LED

Green LED for battery charging indication and alert notification.

SUPPORTED DESKTOP SYSTEM REQUIREMENTS

• PC running
Windows
98/NT/2000/ME/XP
(Windows NT, 2000
and XP require admin
rights to install.
Systems without USB
ports, require the
Palm HotSync®
Cradle-Serial, SKU
p10828U, sold
separately)

or Mac 9.1 or higher/Mac OS

SIZE AND WEIGHT

| Height | 4.3 in. (closed) |
|-------------------------------|------------------|
| | |
| Width | 3.0 in. |
| | |
| Thickness | .66 in. |
| | |
| Weight (Handheld + Stylus) | 5.5 oz |

REMOTE EMAIL AND INTERNET ACCESS REQUIREMENTS

Requires an Internet Service Provider account and a data enabled phone or modem, or a Bluetooth Network Access Point (not included).

Zire 71 (*Serial cradle required for Windows NT)

Height: 4.5 inWidth: 2.9 inWeight: 5.3 oz.

• Memory: 16 MB SDRAM (13 MB actual storage capacity)

• Processor: Texas Instruments ARM-Based OMAP310; 144MHz

• Screen Display: Transflective TFT 320 x 320 color display supports more than 65,000 colors

• Cradle: USB Cradle and Power Adapter Included

• Battery Support: Rechargeable Lithium Battery

- Supported Desktop Systems: Windows® 98/NT 4.0/2000/Me/XP and Macintosh OS 9, v9.1 or higher/Mac OS X, version 10.1.2 or higher
- Included with Purchase: Protective Carrying Case, USB HotSync® Cradle, Power Adapter, Desktop Software CD-ROM, Software Essentials CD-ROM, Stylus, and "Read This First" Document
- Bonus Software: RealOne™ Mobile Player, Kinoma Player™ & Kinoma Producer™, AudiblePlayer®, Handmark's Solitaire, RealOne Arcade, Palm™ Reader, VersaMail, PowerOne Calculator, and Acrobat Reader
- Expansion Capabilities: MultiMediaCard Expansion Slot and Universal Connector

• Universal Connector: Yes

• Operating System: Palm OS® Version 5.2.1

• Sync to Desktop E-mail: Yes

• Alarms: Yes

Built-in Digital Camera: YesMP3 Playback Software: Yes

• Video Playback Software: 640 x 480

*Palm™ Universal HotSync® Cradle - Serial

P10828U - Connects to PalmTM Universal Connector.

Description

Instantly updates and recharges your PalmTM handheld and can be conveniently used at your home or office. Simply slide your handheld into the cradle, push the HotSync® button and you have easy, automatic synchronization. Requires serial connection on desktop computer.

Model Compatibility
TungstenTM C, W, T, T2, T3, m500 series, i705, ZireTM 71